

## Labeling Guidelines

The following list establishes minimum labeling guidelines for products obtaining a Miami-Dade County NOA. The intent of label permanency requirements in this guide is to have the product identifiable for the life of the product. This guide is to serve manufacturers when detailing the labeling requirements on their approval document and quality assurance procedures. Deviations from these guidelines must be approved by the Building Code Compliance Office - Product Control Division.

Product	Sub-Category	Labeling Instruction
Atriums	---	A permanent label with the manufacturer's name or logo, manufacturing plant's city and state, and the statement reading 'Miami-Dade County Product Control Approved' is to be located on the bottom of the chair rail of each bay or interior sill face of each bay. Further, when required, safety glazing in the structure is to be permanently marked (by etching or equivalent), as safety glass meeting the requirements of ANSI Z97.1.
Curtain Walls	---	
Glass-Enclosed Structures	---	
Monumental Skylights	---	
Solariums <sup>1</sup>	---	
Storefronts	---	
Sun Rooms	---	
Coolers or Freezers (exterior)	---	A permanent label with the manufacturer's name or logo, manufacturing plant's city and state, and the statement reading 'Miami-Dade County Product Control Approved' is to be located on each panel and door frame.
Sheds & Pre-Manufactured Buildings	---	
Doors (Exterior)	Passage	A permanent label with the manufacturer's name or logo, manufacturing plant's city and state, and the statement reading 'Miami-Dade County Product Control Approved' is to be located on the active door panel's hinge stile. Further, when required, safety glazing in the unit is to be permanently marked (by etching or equivalent), as safety glass meeting the requirements of ANSI Z97.1.
	Garage	A permanent label with the manufacturer's name or logo, manufacturing plant's city and state, and the statement reading 'Miami-Dade County Product Control Approved' is to be located on the door's side track, bottom angle, or inner surface of a panel.
Louvers	---	A permanent label with the manufacturer's name or logo, manufacturing plant's city and state, and the statement reading 'Miami-Dade County Product Control Approved' is to be located on each unit.
Mullions	---	
Pass-Through	---	
Skylights	---	
Windows	---	
Glass	Chemically Treated	A permanent mark (by etching or equivalent) with the manufacturer's name, or logo, manufacturing plant's traceable code, or city and state, and the acronym for the statement 'Miami-Dade County Product Control Approved' is to be located on each lite or laminated lite in at least one corner.
Glass Blocks	---	A permanent mark (by etching or equivalent) with the manufacturer's name, acronym, or logo, and the acronym for the statement 'Miami-Dade County Product Control Approved' is to be located on the block's edge on a minimum of 75% of the blocks contained in one carton.
Membrane Structures	---	A permanent label with the manufacturer's name or logo, manufacturing plant's city and state, and the statement reading 'Miami-Dade County Product Control Approved' is to be located on each panel/structure bay.
	Impact Screen	A permanent label with the manufacturer's name or logo, manufacturing plant's city and state, and the statement reading 'Miami-Dade County Product Control Approved' is to be located on each screen.

## Labeling Guidelines

The following list establishes minimum labeling guidelines for products obtaining a Miami-Dade County NOA. The intent of label permanency requirements in this guide is to have the product identifiable for the life of the product. This guide is to serve manufacturers when detailing the labeling requirements on their approval document and quality assurance procedures. Deviations from these guidelines must be approved by the Building Code Compliance Office - Product Control Division.

Product	Sub-Category	Labeling Instruction
Plastic	Rigid (lineals or molded)	As specified in the NOA (Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved", unless otherwise noted.) Labeling the box/container of the smallest unit quantities in compliance with the NOA is considered acceptable, provided each unit contains a traceable marking to the production lot.
	Foam	As specified in the NOA (Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.) Unit is defined as each individual board of insulation or is supplied in liquid form, each container is to be labeled.
	Translucent/Transparent Laminates/Interlayers	A permanent mark (by etching or equivalent) with the product's unique name, manufacturer's name, acronym or logo, the laminating plant's traceable code, or city and state, and the acronym for the statement 'Miami-Dade County Product Control Approved' is to be located on each laminated lite in at least one corner. The laminate's or interlayer's packaging is to identify the manufacturer's name or logo, manufacturing plant's city and state, and the statement reading 'Miami-Dade County Product Control Approved'.
Roof	Asphalted Shingles	As specified in the NOA (Each shingle shall be labeled with the Miami-Dade Logo or the wording "Miami-Dade County Product Control Approved")
	Built-Up & ModBit	As specified In the NOA (Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.) Required markings on product labels or wrappers are acceptable.
	Fiber Cement Shingles	As specified in the NOA (Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.) Unit is defined as each individual shingle, slate, or tile
	Spray-Applied Polyurethane Foam	As specified in the NOA (Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.) This products come in cylinders, labeling of the cylinders is considered acceptable
	Board Insulation	As specified in the NOA (Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.) Unit is defined as each individual board of insulation.
	Liquid Polyethylene	As specified in the NOA (Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.) Products come in deferent size buckets or drums. Each container needs to be labeled.
	Metal Shakes & Shingles	As specified in the NOA (Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.) Unit is defined as each individual metal panel.
	Metal Roof System (Structural)	Each panel shall bear a permanent label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved"

## Labeling Guidelines

The following list establishes minimum labeling guidelines for products obtaining a Miami-Dade County NOA. The intent of label permanency requirements in this guide is to have the product identifiable for the life of the product. This guide is to serve manufacturers when detailing the labeling requirements on their approval document and quality assurance procedures. Deviations from these guidelines must be approved by the Building Code Compliance Office - Product Control Division.

Product	Sub-Category	Labeling Instruction
	Coatings & Adhesives	As specified in the NOA (Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.) Products come in deferent size buckets or drums. Each container needs to be labeled.
	Metal Roofing Systems (Non-Structural)	As specified in the NOA (All panels and clips shall be permanently labeled with the manufacturer's name or logo, city, state and the following statement: "Miami Dade County Product Control Approved".) It is acceptable due to size constraints that the clip be identified with a unique logo and model number.
	Tile	As specified in the NOA (All tiles shall bear the imprint or identifiable marking of the manufacturer's name or logo, or following statement: "Miami-Dade County Product Control Approved".)
	Ventilators, Turbines and Ridge Vents	As specified in the NOA (Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.) Labeling the box/container of the smallest unit quantities in compliance with the NOA is considered acceptable.
	Single Ply (CSM)	As specified I the NOA (Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.) Required markings on product labels or wrappers are acceptable.
	Single Ply (EPDM)	
	Single Ply Hypalon	
	Single Ply (PIB)	
	Single Ply Thermoplastic	
	Single Ply (TPO)	As specified I the NOA (Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.) Products are packaged in bundles. Labeling each bundle wrapper is considered acceptable.
	Wood Shakes & Shingles	
Shutters	---	A permanent label with the manufacturer's name or logo, manufacturing plant's city and state, and the statement reading 'Miami-Dade County Product Control Approved' is to be located on each shutter system unit or each storm panel.
Siding/Soffit	EIFS (Exterior Insulation Finish System)	As specified in the NOA (Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.) Components of this product come in deferent size buckets or drums. Each container needs to be labeled. Unit is further defined as each individual board of insulation.
	Fiber Cement	A permanent label with the manufacturer's name or logo, manufacturing plant's city and state, and the statement reading 'Miami-Dade County Product Control Approved' is to be located on each panel.
	Metal	
	Vinyl (Plastic)	As specified in the NOA (Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved", unless otherwise noted.) Labeling the box/container of the smallest unit quantities in compliance with the NOA is considered acceptable, provided each unit contains a traceable marking to the production lot.
Truss Plates	---	A permanent mark with the manufacturer's name, acronym or logo is to be located on each unit. A permanent label with the manufacturer's name or logo, manufacturing plant's city and state, and the statement reading 'Miami-Dade County Product Control Approved' is to be located on each packaging carton.
Wood Connectors	---	

## Labeling Guidelines

The following list establishes minimum labeling guidelines for products obtaining a Miami-Dade County NOA. The intent of label permanency requirements in this guide is to have the product identifiable for the life of the product. This guide is to serve manufacturers when detailing the labeling requirements on their approval document and quality assurance procedures. Deviations from these guidelines must be approved by the Building Code Compliance Office - Product Control Division.

Product	Sub-Category	Labeling Instruction
Wall Panels	Metal	A permanent label with the manufacturer's name or logo, manufacturing plant's city and state, and the statement reading 'Miami-Dade County Product Control Approved' is to be located on each panel.
	Sandwich (Metal Skins)	
Wood Based Structural Panels or Beams	---	A permanent label with the manufacturer's name or logo, manufacturing plant's city and state, and the statement reading 'Miami-Dade County Product Control Approved' is to be located on each panel.

## LABELING GUIDELINE For Optional NOA Products

The following list establishes minimum labeling guidelines for products obtaining a Miami-Dade County NOA. The intent of label permanency requirements in this guide is to have the product identifiable for the life of the product. This guide is to serve manufacturers when detailing the labeling requirements on their approval document and quality assurance procedures. Deviations from these guidelines must be approved by the Building Code Compliance Office - Product Control Division.

Product	Sub-Category	Labeling Instruction
	---	
A/C Stands	---	As specified in the NOA (Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved".)
Anchors	---	As specified in the NOA (Each box/container of the smallest quantity shall bear a label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved", unless otherwise noted.)
Awnings	---	A permanent label with the manufacturer's name or logo, manufacturing plant's city and state, and the statement reading 'Miami-Dade County Product Control Approved' is to be located on each structure or device.
Bus Shelters	---	
Canopies	---	
Carports	---	
Sunshades	---	
Protection Devices (For other than Hurricane)	---	
Concrete Reinforcement	Fiber	As specified in the NOA (Each bag shall bear a permanent label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved", unless otherwise noted.)
Fences	Plastic	As specified in the NOA (Each panel shall bear a permanent label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved", unless otherwise noted.) Labeling the box/container of the smallest unit quantities in compliance with the NOA is considered acceptable for the components other than the panel.
Railings	---	
Headers	Concrete	As specified in the NOA (Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved", unless otherwise noted.)
Lintels	---	
Light Poles	Plastic	
Insulation	Foil	As specified in the NOA (Each bag or board shall bear a permanent label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved", unless otherwise noted.)
	Non-Roofing	
Radiant Barrier	---	
Screen Enclosures	---	A permanent label with the manufacturer's name or logo, manufacturing plant's city and state, and the statement reading 'Miami-Dade County Product Control Approved' is to be located on the bottom of the chair rail of each bay.
Screen Rooms	---	
Windbreaker	---	A permanent label with the manufacturer's name or logo, manufacturing plant's city and state, and the statement reading 'Miami-Dade County Product Control Approved' is to be located on each unit.